

Outdoor Revolution  
MODEL EASY-PORCH Awning



Thank you for purchasing an Outdoor Revolution product, this product will give years of satisfactory service if basic instructions are followed; our products are designed for durability and for ease of erection.

**\*\*We highly recommend that you insure your awning against storm damage or accidental damage, as the warranty does not cover such eventualities. The manufacturer is not liable for any damage caused to the caravan or its contents because of misuse, incorrect pitching or extreme weather\*\***

**Please read the following instructions carefully**

TIP: refer to photograph to assist with pitching

- Please do not leave for your vacation without fully erecting and checking the contents of your awning.
- Ideally erect your awning for some period allowing it to weather.
- Please make sure that before erecting, that you site the awning on clear Level ground with no sharp objects underneath, and that all the zips are fully closed. We recommend laying a groundsheet down to protect your awning during erection.
- (Due to the universal nature of this product **LEVEL GROUND IS ESSENTIAL FOR** more precise fitting of your awning.)
- **\*\* If you have any issues relating to pitching your awning please call your dealer for further instructions before leaving for your holidays\*\***
- .

**Important, please check your equipment prior to pitching**

Contents

Flysheet (or outer)  
Steel pole (in a separate bag)  
Pegs (in a separate bag)  
Outer carrying bag (with dimension details)  
Stability Straps x 2

### ERECTION INSTRUCTIONS

TIP: refer to photograph to assist with pitching

1. Lay the outer/flysheet spread out on the ground.
  2. Slide the awning channel through the caravan rail **\*\*TAKE EXTREME CARE AT THIS POINT AS SOME AWNING RAIL CAN HAVE SHARP EDGES OR BURRS\*\***. Spread evenly across the caravan roof.
  3. Open the pole bag and assemble the poles into its 3 sections. Ensure they are seated correctly as most awning damage is caused at this stage of assembly.
  4. When the poles are assembled, proceed to slide the top pole only carefully through the pole sleeve. Now fasten the two side poles, one either side of the top pole taking care not to damage the seam.
  5. Place the metal pin, which is on the steel ring at the bottom of the flysheet, into the bottom of the pole, one at once, to form the main shape of the awning.
  6. Now clip on the black plastic clips to each pole.
  7. Peg out the awning at the caravan side first, working forwards using the ladder rubbers at the bottom for height adjustment. (do not over tension as this can lead to damage zips) tip: pegs work best when inserted at 45 degree angles.
  8. Peg the gusseted flanges at the rear of the awning in such a way that a seal is formed against the caravan side. The shock chord can be gently tightened to maximise this seal by pulling through the black toggle and fastening.
  9. Guy lines can now be tensioned and pegged, please ensure in heavy weather that ALL guy lines and the **stability straps** are used. (Please note that failure to use all the lines may result in your porch being damaged)
- PLEASE NOTE FOR EXTRA COMFORT WE RECOMMEND THAT YOU PURCHASE Blue Diamond Draught Skirt for along your caravan base. (ask your supplier)

**Please note these few points for trouble free camping.**

**\*\*In extreme weather, take your awning down\*\***

- a. **After use please take extreme care and always dry and air the tent before packing away.**
- b. **Any dirt or stains can be removed by brushing or gently washing with warm water. DO NOT use detergents as this will destroy the waterproofing on the fabrics.**
- c. **We advise that you DO NOT cook or smoke in this porch; although the outer fabric is fire retardant treated it will still melt.**
- d. **During use particularly during rain, avoid touching the outer fabric as this may cause moisture to be drawn into the porch awning**
- e. **Please make sure that you have a good time.**

Outdoor Revolution Products are distributed by:  
Blue Diamond Products Ltd  
[www.Blue-diamond-products.co.uk](http://www.Blue-diamond-products.co.uk)